

FACTSHEET

The Importance of Vitamin D

What is vitamin D?


Vitamin D is an essential nutrient, supporting bone health and vital functions such as the immune system from conception through childhood and into adulthood¹.

Vitamin D is important for¹:

- Healthy immune system
- Cell growth and differentiation
- Cardiovascular function
- Skeletal health
- Reducing the risk of infectious and allergic disease
- Maintaining appropriate balance of calcium and phosphate

Sources of vitamin D

Direct sunlight exposure is the best source of natural vitamin D, it is synthesized in the skin upon exposure to sunlight containing sufficient Ultraviolet B (UVB) radiation, levels of which are higher in the summer months, around midday. This is the main source for most people. It can also be obtained from foods or dietary supplements².



Dietary sources of vitamin D:



Oily fish



Fortified foods like breakfast cereals and fat spreads



Organ meat such as liver



For formula-fed infants: Infant formula milk³



Egg yolks

What are the health risks of vitamin D deficiency?

Vitamin D deficiency is a public health concern in the UK¹. The Department of Health and Social Care recommends that from birth to 1 year of age, breastfed babies should receive vitamin D drop supplements to make sure they get enough⁴



- Severe vitamin D deficiency can lead to fits or rickets⁵.



- Subclinical vitamin D deficiency can lead to impacted bone health in which the bone can be thin and brittle. These can lead to increased risk of osteoporosis in later life⁵.



- Vitamin D deficiency can also result in increased vulnerability to illness e.g., asthma, type 1 diabetes, respiratory infection, influenza^{5,6}.

Guidance on vitamin D supplementation in the UK^{1,4,7}

The Department of Health and Social Care recommends that babies who are being breastfed are given a daily vitamin D supplement from birth, whether the mother is taking a supplement containing vitamin D herself or not. Breastfed babies from birth to 1 year should be given a daily supplement containing 8.5 to 10 micrograms (μg) of vitamin D.

	Age	What is recommended?	Additional notes
Breastfed babies	Birth to 1 year of age	Daily supplement containing 8.5-10 μg	
Formula fed or combination fed	Birth to 1 year of age	Daily supplement containing 8.5-10 μg ONLY IF INTAKE OF FORMULA IS LESS THAN 500ml PER DAY	
Children aged 1-4 years		Daily supplement containing 10 μg	Consider any vitamin D intake from a Growing up milk
Adults and children over 4 years		Everyone should consider taking a daily supplement containing 10 μg of vitamin D during the autumn and winter	During late March/early April-end September, most people can make all the vitamin D they need from sunlight and a balanced diet

Groups at risk of low vitamin D³:

- Babies and young children, and children and adolescents who spend little time playing outside
- Women who are pregnant or breastfeeding
- People over 65 years old because their skin is not as good at making vitamin D
- People with darker skin tones
- Those who always cover most of their skin when outside

References: **1.** Vitamin D and Health. SACN, 2016. Available at https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/537616/SACN_Vitamin_D_and_Health_report.pdf Accessed September 2021. **2.** NHS. The new guidelines on vitamin D – what you need to know. Available at: NHS: the New Guidelines on Vitamin D (accessed September 2021). **3.** Vitamin D: food fact sheet Available at www.bda.uk.com/resource/vitamin-d.html (Accessed September 2021). **4.** Vitamins for children. NHS, 2021. Available at <https://www.nhs.uk/conditions/baby/weaning-and-feeding/vitamins-for-children/> Accessed September 2021. **5.** Chang SW, Lee HC. *Pediatr Neonatal* 2019;60:237-244. **6.** Braegger C et al, *J Pediatr Gastroenterol Nutr*, 2013;56:692-701. **7.** NHS. Vitamin D. Available at <https://www.nhs.uk/conditions/vitamins-and-minerals/vitamin-d/> Accessed September 2021.

IMPORTANT NOTICE: Breast milk is best for babies and breastfeeding should continue for as long as possible. Professional advice of a healthcare professional must be followed on the need for and proper method of use of infant formulae and on all matters of infant feeding. For more information read the label.

SMA® Nutrition UK & Ireland ®Reg. Trademark of Société des Produits Nestlé S.A



ZTC5557/09/21